L Number	Hits	Search Text	DB	Time stamp
1	192	712/212.ccls.	USPAT	2004/11/15 08:48
2	352	712/210.ccls.	USPAT	2004/11/15 08:48
3	292	712/208.ccls.	USPAT	2004/11/15 08:48
4	170	712/204.ccls.	USPAT	2004/11/15 08:48
5	16	(request with (queue buffer)) same empty same instruction same before	USPAT; EPO; JPO; DERWENT	2004/11/15 08:48
6	63	determin$4 with (queue buffer) with (empty deplete) with instruction	USPAT; EPO; JPO; DERWENT	2004/11/15 08:48
7	28	predict$4 with buffer with empty	USPAT; EPO; JPO; DERWENT	2004/11/15 08:48
8	9	(determin$4 with (queue buffer) with (empty deplete) with instruction) and prefetch	USPAT; EPO; JPO; DERWENT	2004/11/15 08:48
9	13	(issu$4 with request with (queue buffer)) same empty same instruction	USPAT; EPO; JPO	2004/11/15 08:48
10	11	align$4 same decod$4 same size same instruction same begin$8	USPAT; EPO; JPO; DERWENT	2004/11/15 08:48
11	11	store$2 with across with buffer with instruction	USPAT; EPO; JPO	2004/11/15 08:48
12	853	(variable with instruction with length) same (store$2 across buffer)	USPAT; EPO; JPO	2004/11/15 08:48
13	35	instruction with alignment with multiplexor	USPAT	2004/11/15 08:48
14	12	instruction with alignment with multiplexor	USPAT	2004/11/15 08:48
15	5	predict$4 with buffer with empty with instruction	USPAT	2004/11/15 08:48
-	7621	(cache buffer) with empty	USPAT	2004/04/15 22:43
-	562	(cache buffer) with empty with determine	USPAT	2003/09/29 12:03
-	10	(cache buffer) with empty with determine with (reload load)	USPAT	2003/09/29 12:31
-	34	((cache buffer) with empty) same (request with (buffer cache) with (load reload re-load))	USPAT	2003/09/29 13:32
-	1538	variable with instruction with length	USPAT	2003/09/29 13:32
-	712	(variable with instruction with length) same (store$2 across buffer)	USPAT	2004/04/16 18:30
-	0	(variable with instruction with length) same (store$2 with across with buffer)	USPAT	2003/09/29 13:33
-	2	(variable with instruction with length) and (store$2 with across with buffer)	USPAT	2003/09/29 13:34
-	419	store$2 with across with buffer	USPAT	2003/09/29 13:34
-	11	store$2 with across with buffer with instruction	USPAT	2004/04/16 18:30
-	15	((prefetch pre-fetch) with buffer) same fill same empty	USPAT	2003/09/29 13:43
-	3	(fill near2 unit) with empty with instruction	USPAT	2003/09/29 14:28
-	183	align$4 same decod$4 same size same instruction	USPAT	2003/09/29 14:31
-	8	align$4 same decod$4 same size same instruction same begin$8	USPAT	2004/04/16 18:30
-	6	("5353420" | "5537629" | "5586277" | "5758116" | "5822559" | "6175908").PN.	USPAT	2003/09/29 14:59
-	4	(("5353420" | "5537629" | "5586277" | "5758116" | "5822559" | "6175908").PN.) and (plurality with buffer)	USPAT	2003/09/29 14:59

–	0	determin$4 with beginning with based with size with instruction	USPAT	2003/09/30 10:16
–	1	determin$4 with beginning with based with size with instruction	USPAT	2003/09/30 14:55
–	28	issu$4 with request with fill with buffer	USPAT	2003/09/30 11:02
–	8	(issu$4 with request with fill with buffer) same empty	USPAT	2003/09/30 11:02
–	0	(issu$4 with request with fill with buffer) same empty same instruction	USPAT	2003/09/30 11:02
–	4	(issu$4 with request with buffer) same empty same instruction	USPAT	2003/09/30 11:02
–	9	(issu$4 with request with (queue buffer)) same empty same instruction	USPAT	2004/04/16 18:30
–	265	determin$4 same (queue buffer) same empty same instruction	USPAT	2003/09/30 11:07
–	55	determin$4 with (queue buffer) with empty with instruction	USPAT	2003/09/30 11:10
–	55	determin$4 with (queue buffer) with (empty deplete) with instruction	USPAT	2004/04/16 18:30
–	15922	determin$4 with (queue buffer) with (empty deplete) with instruction (will lookahead)	USPAT	2003/09/30 11:18
–	0	determin$4 with (queue buffer) with (empty deplete) with instruction with (will lookahead)	USPAT	2003/09/30 11:18
–	2	(determin$4 with (queue buffer) with (empty deplete) with instruction) same prefetch	USPAT	2003/09/30 11:37
–	1197	((queue buffer)) same empty same instruction	USPAT	2003/09/30 11:42
–	158	((queue buffer)) same empty same instruction same before	USPAT	2003/09/30 11:42
–.	11	(request with (queue buffer)) same empty same instruction same before	USPAT	2004/04/16 18:31
–	9	(determin$4 with (queue buffer) with (empty deplete) with instruction) and prefetch	USPAT	2004/04/16 18:30
–	175	((queue buffer) with (empty deplete) with instruction) and prefetch	USPAT	2003/09/30 12:14
–	52	((queue buffer) with (empty deplete) with instruction) same prefetch	USPAT	2003/09/30 12:14
–	18	((queue buffer) with (empty deplete) with instruction) same prefetch same request	USPAT	2003/09/30 12:38
·	27	"5537629"	USPAT	2003/09/30 12:38
–	1	5537629.pn.	USPAT	2003/09/30 12:38
–	3	(6,260,134 5,809,272 5,920,713).pn.	USPAT	2003/09/30 15:17
–	29	determin$4 with beginning with based with size	USPAT	2003/09/30 12:47
–	11	determin$4 with start with instruction with size	USPAT	2003/09/30 12:42
–	19	add$4 with start with instruction with size	USPAT	2003/09/30 12:43
–	2	add$3 with start with instruction with size	USPAT	2003/09/30 12:43
–	2	add$3 with begin$5 with instruction with size	USPAT	2003/09/30 12:43
–	0	determin$4 with beginning with based with size with instruction	USPAT	2003/09/30 12:47
–	21617	"Digital signal processor"	USPAT	2003/09/30 14:55
–	199	"Digital signal processor" with advantage	USPAT	2003/09/30 14:56
–	1	6,367,003.pn.	USPAT	2003/09/30 14:56
–	23	predict$4 with buffer with empty	USPAT	2004/04/16 18:30

C:\APPS\EAST\Workspaces\09675817.wsp